



GROUND CARE & LAWNCARE 2014



2013 SUPPLIER OF THE YEAR
2001 • 2003 • 2008 • 2009 • 2013



SUBARU

Industrial
Power
Products



WHY CHOOSE A CROMMELINS GROUND CARE PRODUCT

From Posthole Diggers, Trenchers, Lawncare products, Crommelins have range of products to meet your needs.

Most models are powered by a petrol or diesel Subaru industrial engine that come with 3 year Subaru engine warranty, are constructed of HD grade steel, easy to start, quiet running, easy to operate, low maintenance and have a long engine life.

Crommelins are the Australian distributors for BLUEBIRD Lawncare Equipment, GROUNDHOG, ING's Lawncare and also REDROO Groundcare products. Crommelins only choose to represent quality products that are user-friendly, reliable and tough for Rental and Domestic use.

CROMMELINS BACKUP AND SUPPORT

Crommelins provides all their machinery with national award winning backup, service and support and won the HRIA 2013 Supplier of the year award.

CROMMELINS WARRANTIES

Our warranties include; 3 Year Subaru engines warranty and 2 Year Crommelins™ warranty on **CROMMELINS™** branded products powered by a Subaru Industrial Engine. All other Crommelins Machinery products including flexible drive products and pressure pumps come with a 1 year manufacturer's warranty.



CROMMELINS AWARDS

Crommelins is a preferred supplier to the Hire and Rental Industry and are 2013 winners of the HRIA's Supplier of the Year Award. This Award comes with great esteem as it is voted for by members of the Association.



2013 SUPPLIER OF THE YEAR
2001 • 2003 • 2008 • 2009 • 2013

MANUAL LAWN ROLLING AND AERATION

Simple, no fuss compaction and aeration

60L LAWN ROLLER

UV Stabilised barrel

Maintains a smooth and level lawn, light and easy to handle (un-filled).

Standard Features

- UV stabilised barrel
- Galvanised tube handles
- Barrel 600mm wide
- 60L Capacity



	WEIGHT (kg)	DIMENSIONS LxWxH (mm)
60PLR	70kg (filled)	1000x650x370mm

Note: These units are not designed to turn, simply flip the handle and roll back the way you came (on a slight angle)



CROMMELINS WOOD CHIPPERS

Crommelins provides three chippers, two suited for the Hire, Landscaping and Arbor Industries and one for domestic use only. All are assembled and tested in Australia and are powered by reliable Subaru Industrial Engines.

Designed to be safe for hire the GTS900S and GTS1300S come with many standard safety features. These very portable machines are constructed of heavy duty steel and are assembled and tested in Australia.

Standard Chipper Features:

- Twin reversible blades "chip" branches
- Single adjustable anvil blade
- Easy remove hopper and discharge chute
- Heavy duty rotor bearings with grease points
- Slim width of machine provides easy access to narrow openings and backyards
- Vibration free operation under load
- Simple maintenance points, simple belt tensioning
- Assembled and tested in Australia
- 2 year manufacturer's warranty
- 3 year Subaru engine warranty

GTS910 & GTS1310S Features:

- 16" Pneumatic wheels with bearings
- Easily transported and stored with removable front handle, 2x tie down points and 2x lifting hooks
- Hire Safety pack, lifting hook

7.0hp CROMMELINS WOOD CHIPPER

This fully portable, domestic use only, chipper is powered by a 7.0hp Subaru industrial engine and can chip up to 45mm (max) freshly cut tree limbs.

Domestic Safety Features:

- Foot operated emergency stop
- Long feed chute with rubber curtain
- Enclosed belt
- Directional chute



Model GTS700S

9.0hp CROMMELINS WOOD CHIPPER

The GTS910S is meant ideal for yards and small acre properties. It is powered by a 9.0hp Subaru industrial engine, it has a smaller 250x250mm input Hopper and will easily chip up to 55mm (max) freshly cut tree limbs, palm fronds etc.



Model GTS900S Shown

14.0hp CROMMELINS WOOD CHIPPER

The GTS1310S is ideal for larger acre properties and is with its large 340x470mm Input Hopper and 250mm chipping blades means will easily 'chip' through tree limbs, branches and even palm fronds* up to 75mm (3") wide.



Model GTS1310S

SAFETY FEATURES ON HIRE MODELS

SAFETY STOP x2
Easy to reach safety stop button

RUBBER CURTAIN
Prevents 'Chip Spit'

TIE DOWN POINTS x2
For easy transport

REMOVABLE FRONT HANDLE


DIRECTIONAL CHUTE
Points chips to ground

LOCKABLE RECOIL START ON SUBARU ENGINE

EASY ACCESS ON HOPPER AND CHUTE

ACTUATORS x2
Will disable machine while the Hopper or Chute is opened

DUAL LIFTING HOOKS



Electric start option also available

	HORSE POWER	CHIPPING CAPACITY		CHIPPER BLADE WIDTH	FUEL TYPE	SUBARU ENGINE	INPUT HOPPER SIZE	WEIGHT (kg)	DIMENSIONS (With handle) LxWxH	ENGINE WARRANTY	FEATURES
		Softwood	Drywood								
GTS700S	7.0hp	45mm	25mm	60mm	PETROL	7.0hp EX21	250x250mm	58kg	1340x470x1320mm	3yr	Foot operated E/Stop
GTS910S	9.0hp	55mm	45mm	195mm	PETROL	9.0hp EX27	250x250mm	132kg	1500x630x1520mm	3yr	Inc. all Safety Feat.
GTS1310S	14.0hp	75mm	55mm	250mm	PETROL	14.0hp EX40	340x470mm	168kg	1500x750x1520mm	3yr	E/Start Option

*will not chip the leaves

CROMMELINS™ POST HOLE DIGGERS

www.crommelins.com.au



GROUNDHOG POST HOLE DIGGERS

Made by Groundhog (USA). These Post Hole Diggers are operator controlled to offer safe digging, are simple and straight forward to use, durable and require little maintenance.

Ideal for the Hire, Fencing, Contractor, Farming, Tree Planting industry and others.

Standard Features:


- Easy to operate handle bar controls with automatic safety stop switches
- Powered by Subaru industrial engine
- 7/8" square auger drive
- HD Steel frame
- Powder coated for a durable finish
- Assembled and tested in Australia
- 2 year manufacturer's warranty
- 3 year Subaru engine warranty



6.0hp POST HOLE DIGGER 1M5SCSX One-Man Operation

This Post Hole Digger is designed to put the power of a two-man machine in the hands of one-man and will handle the hardest of soils.

- Tubular steel drive shaft
- Low maintenance
- Easy to manoeuvre with auger attached



- No torque to operator
- Centrifugal clutch
- Groundhog transmission
- Engine frame swivel

- Handlebars can swing to two positions for normal drilling or close up drilling

9.0hp POST HOLE DIGGER HD99SX One-Man Operation, Hydraulic

The increased torque allows for digging with augers up to 18" in size.

- 8" Pneumatic tyres
- Adjustable handlebar positions
- 6gpm hydraulic pump @ 3200rpm
 - 11L Oil tank capacity
- Handle bar pivots for drilling on uneven terrain




- Variable speed forward and reverse auger rotation
- Engine frame swivel to keep engine level

- Auger locks for manoeuvring
- Engine frame swivel to keep engine level
- Towbar attachment (for onsite use only)

6.0hp POST HOLE DIGGER C715SX Two-Man Operation, Lightweight

This very popular digger is the work-horse of the Groundhog line. It's simple straight forward design promotes durability and requires very little maintenance.

- Compact and easily transportable



- Well balanced
- Heavy duty industrial cog type drive belt
- Trigger-type return-style throttle
- Centrifugal clutch with metal shoes
- Safety stop switches located at both operator positions
- Timken® tapered roller bearings

	OPERATION REQUIRED	AUGER SPEED (3600rpm)	TORQUE (lbs-ft)	MAXIMUM AUGER SIZE	SUBARU ENGINE	FUEL TYPE	FUEL TANK (L)	WEIGHT (kg)	NOISE LEVEL (db @ 7m)*
1M5CSX	ONE MAN	180rpm	200lbs-ft	UP TO 12"	6.0hp EX17	PETROL	3.6L	85kg	74db
HD99SX	ONE MAN	140rpm	275lbs-ft	UP TO 18"	9.0hp EX27	PETROL	6.1L	135kg	70db
C715SX	TWO MAN	180rpm	200lbs-ft	UP TO 12"	6.0hp EX17	PETROL	3.6L	35kg	66db

POST HOLE AUGERS & ACCESSORIES

Crommelins provides a large range of augers, adaptors, extension shafts, to complement your Groundhog Post Hole Digger. All designed to attach to Post Hole Diggers with 7/8" square drive shafts.

2" to 18" AUGERS



Model PSD2 Model PSD4 Model PSD6 Model PSD9 Model PSD10 Model PSD12 Model PSD14 Model PSD18

AUGER EXTENTIONS & ADAPPTIONS

Extend your digging depth by 1 to 3 foot (300-900mm) with these heavy duty steel shafts.



Model EX1 Model EX2 Model EX3

	SIZE (in)	EXTRA DETAIL/FEATURES
AUGERS	2", 4", 6", 9", 10", 12", 14", 18"	TUNGSTEN CARBIDE DIGGING BLADES
EXTENSIONS	1ft, 2ft, 3ft	QUICK RELEASE CONNECTIONS

GROUNDHOG TRENCHING

These trenchers are operator propelled to offer controlled digging and to the exact depth with minimum effort. The slim design allows it to fit through narrow gates, paths and doorways and it can trench close to walls and fences, which is perfect for NBN Contractors. The side cleaning auger stops material falling back into the trench, creating a neat tidy trench.

They also come equipped with a front roller that will significantly increase the life of the Digging Chain while decreasing the risk of chain breaks. The chain rollers ride on the center wheel of the roller while the side plates of the chain are guided by the wheel shoulder. Using the roller in normal test jamming situations the cause of chain breaks were eliminated.

Standard Features:

- Powered by Subaru industrial engine
- Fully replaceable Chain and Teeth made from carbide tipped hardened steel
- Solid roller increases life of chain
- 8" Pneumatic tyres
- Centrifugal clutch with metal shoes and drum, needle bearing
- HD powder coated steel frame and lifting hook
- Assembled and tested in Australia
- Digging chain guard
- Side delivery auger
- 2yr manufacturer's warranty
- 3yr Subaru engine warranty
- Up to 2.5 to 3m (8 to 10ft) per minute productivity

Applications:

- Plumbing
- Drainage
- Reticulation
- Fencing
- Non-electrical cabling
- NBN Contractors

Industry:

- Contractors
- Hire
- Councils
- Government dept.
- DIYers

12" GROUNDHOG TRENCHER

With 'Bullet Tooth' chain

12" GROUNDHOG TRENCHER

With 'Shark Tooth' chain

18" GROUNDHOG TRENCHER

With 'Shark Tooth' chain



Model T4D

Bullet Tooth
Grass, Sand, Soil
(Not for rocky ground)



Model T4DS



Model T418DS

Shark Tooth
Sand, lawn, clay
gravel and
road-base

	CHAIN TYPE	OPERATION Depth (in) Width (in)	DIGGING ADJUSTMENTS	SUBARU ENGINE	FUEL TYPE	FUEL TANK (L)	DIMENSIONS LxWxH (mm)	WEIGHT (kg)	NOISE LEVEL (db @ 7m)*
T4D	BULLET TOOTH	12" 3"	6" 8" 12"	6.0hp SUBARU	PETROL	3.6L	1520x610x1040mm	107kg	69db
T4DS	SHARK TOOTH	12" 3"	6" 8" 12"	6.0hp SUBARU	PETROL	3.6L	1520x610x1040mm	107kg	69db
T418DS	SHARK TOOTH	18" 3"	8" 12" 18"	6.0hp SUBARU	PETROL	3.6L	1670x610x1040mm	110kg	69db

14" BLUEBIRD STUMP GRINDER

This well-balanced Stump Grinder offers commercial power, high productivity and allows stumps to be removed easily and safely.

Standard Features

- Replaceable tungsten carbide-tipped teeth with pockets
- Heavy-duty NORAM™ centrifugal clutch
- Heavy-duty grease-able pillow block bearings support the cutter wheel
- Adjustable handle enables the operator to adjust the angle of the handle to maintain a comfortable and safe stance throughout the stump grinding job
- Handle height and brake engagement levers are simple and easily accessible
- Two lift handles on each side to help for transport and storage
- Slim design allows access through narrow gates and tight areas
- 12" Pneumatic Knobby Tread Wheels
- Cyclone air filter
- Hayes disc brake - lever activated
- Matched set of V-belts
- 2 year manufacturer's warranty
- Bearing - Cast flange greasable
- 3 year Subaru engine warranty



Model SG1314SD

	DISK SIZE x WIDTH	GRINDING DEPTH (in)	CUTTER WHEEL	SUBARU ENGINE	FUEL TYPE	FUEL TANK (L)	DIMENSIONS LxWxH (mm)	FOLDED LxWxH (mm)	WEIGHT (kg)	NOISE LEVEL (db @ 7m)*
SG1314SD	14" 3/8"	UP TO 12"	8x CARBIDE TEETH	14.0hp EX40	PETROL	7.0L	1850x686x1140mm	1570x686x686mm	115kg	72db

18" BLUEBIRD SOD/TURF CUTTER

Where there is turf to remove, BlueBird's Sod Cutter will cut up the competition. A four-wheel drive transmission, low center of gravity and a vibration-isolated handle make it the smoothest and most stable sod cutter on the market.

Standard Features

- Automatically downshifts to restrict cutting in transport speeds
- Soft Grip rubber handles
- 2x Cutting speeds (low, high)
- 2x Transport speed
- 1x Reverse speed
- Strong steel frame
- Bearings - Permalube Sealed
- 10" Semi-Pneumatic wheels
- 1 Year manufacturer's warranty
- 3 Year Subaru engine warranty



Model SC550

16" INGS TURF CUTTER

The Ings Turfcutter is a suitable for turf cutting (wedged blade driven by an oscillating cam), slitting (used to break compaction on bowling greens, golf greens and tees, etc), trenching (for reticulation pipes, etc) and mole draining (for dragging conduit underground).

Standard Features

- Belt driven
- Multiple depth adjustable
- Pneumatic drive wheels, solid rear wheels
- Simple and easy to use
- Low maintenance
- Heavy gauge steel frame
- 1 Year manufacturer's warranty
- 3 Year Subaru engine warranty
- 14" model also available



Model TC16S

	CUTTING WIDTH (in)	CUTTING DEPTH (mm)	CUTTING PRODUCTIVITY	ENGINE	FUEL TYPE	FUEL TANK (L)	DIMENSIONS LxWxH (mm)	WEIGHT (kg)	NOISE LEVEL (db @ 7m)*
SC550	18"	UP TO 60mm	23 to 30m ² /min	TBA	PETROL	3.6L	1370x610x910mm	150kg	66db
TC16S	16"	UP TO 100mm	20 to 50m ² /min	TBA	PETROL	6.0L	1450x850x500mm	130kg	70db

18" BLUEBIRD VERTIMOWER

Standard Features:

- Flail Blade
- 7x Presets Heights
- Three handle positions for comfort and a folded position for transporting
- Soft grip handle
- Strong steel frame
- Over-centre bail design
- Plastic belt/bearing covers
- 3 Year Subaru Engine warranty
- 1Year manufacturer's warranty
- Optional Delta Slicing Blades



Model PR18

Delta Slicing Blade
For thinning running stem grasses.

Flail Blade
For removing matted thatch

15" INGS VERTIMOWER & THATCHER

Standard Features:

- Ribbon steel blades for long life
- Simple and easy to use
- Low maintenance
- Heavy gauge steel frame
- Suitable for vertimowing and thatch removal
- Assembled and tested in Australia
- 3 Year Subaru Engine warranty
- 1Year manufacturer's warranty



Model VM15R

	VERTIMOWING WIDTH (in)	OPERATIONAL HEIGHTS(mm)	SUBARU ENGINE	FUEL TYPE	FUEL TANK (L)	DIMENSIONS LxWxH (mm)	WEIGHT (kg)	NOISE LEVEL (db @ 7m)*
PR18	18"	7x PRESETS (+25 to -25mm)	6.0hp SUBARU	PETROL	3.8L	1160x670x990mm	59kg	69db
VM15R	15"	TWIST ADJUSTMENT	9.0hp SUBARU	PETROL	6.1L	1100x740x880mm	56kg	70db


19" BLUEBIRD LAWN AERATOR

The Bluebird Lawn Aerator provides for ease of operation, optimum results and extended unit life. At the turn of a knob, the operator can preset the height of the wheels thereby controlling penetration depth of the hardened-steel, cylindrical tines.

Adjustments in rear wheel height can also be made to assist machine stability and manoeuvrability. The use of a protected roller chain in the secondary drive to the tine assembly and front wheel is of special interest as it reduces downtime considerably and also extends unit life.

Standard Features

- 6:1 Ratio reduction gearbox
- Fold down handles for easy transportation and storage
- 20mm Coring Tines x30
- Closed spoon design
- Rotating tines for easy turning and manoeuvrability
- 16kg Weights available to help soil penetration
- 10" Front wheels, 8" Rear wheels
- Up to 34m²/min productivity



Model 530

	AERATION WIDTH (in)	AERATION DEPTH(mm)	AERATION PATTERN (mm)	ENGINE	FUEL TYPE	FUEL TANK (L)	DIMENSIONS LxWxH (mm)	FOLDED DIMENSIONS LxWxH (mm)	WEIGHT (kg)	NOISE LEVEL (db @ 7m)*
530	19"	75mm	76 to 100mm	4.0hp Briggs & Stratton	PETROL		1220x736x1295mm	1020x736x710mm	131kg	67db




2013 SUPPLIER OF THE YEAR 2001 • 2003 • 2008 • 2009 • 2013

Crommelins is a preferred supplier to the Hire and Rental Industry and we are 2013 winners of the HRIA's Supplier of the Year Award. This Award comes with great esteem as it is voted for by members of the Association.

Crommelins has a large national Dealer network that can supply all of CROMMELINS and SUBARU powered products.

Crommelins has an Australian wide group of accredited Service Agents who can look after any warranty or service issues for all CROMMELINS and SUBARU powered products.

CROMMELINS Warranties



3 Year Subaru Engines Warranty
Subaru Industrial Engines come with a 3 year manufacturer's warranty.

2 Year CROMMELINS™ Warranty
CROMMELINS™ brand products powered by a Subaru Industrial Engine come with a 2 year manufacturer's warranty and a 3 year Subaru engine warranty.

1 Year Other Products Warranty
All other Crommelins Machinery products including flexible drive products and high pressure pumps come with a 1 year manufacturer's warranty.

CROMMELINS Spare Parts 24 hour delivery to you for spare parts

Crommelins prides itself on having an excellent spare parts and service backup, that can deliver to you within 24hrs, 95% of the time.

Your order gets picked, packed, air-bagged and is on its way to you the day the order is processed.



Step 1



Step 3



Step 2

CROMMELINS Quality Assurance & Testing

Every Crommelins brand product is test run to design specifications before leaving our premises and are backed by a national network of spare parts, service and warranty dealers.



CROMMELINS Support

- Website
- Call Centre
- Brochures
- Manuals
- Retail Support Pack & Oil
- Spare Parts
- Videos

Spare Parts & Service
Phone: 1300 554 524
Freecall Fax: 1800 636 281
spareparts@crommelins.com.au



CROMMELINS Website www.crommelins.com.au

Our comprehensive website is filled with detailed information, photos, brochures, safety sheets, videos, manuals and is easy to use and navigate so you can quickly access information.



Front-page with quick links, contact details, etc



Model page, with Photos, specs, etc.

CROMMELINS Product Support Pack

All CROMMELINS manufactured Powered Products is supplied with a Crommelins support pack which is also Hi-Viz.

This bag can consist of:

- Tools
- Product Manual
- Warranty Card
- Safety Vest
- A-Z Product Brochure



www.crommelins.com.au

AUTHORISED AGENT: