

B-SAFE INERTIA REELS

IKAR ROBUSTO ACCORDING TO DIN EN 360

Housing design: Plastic or aluminium

Connective device: Webbing strap or galvanized steel rope

Sturdy, lightweight, low maintenance, self retracting inertia reel with either web straps or galvanised steel rope. Lightweight plastic housing or aluminum housing with loop head.

IKAR Inertia Reels are EN compliant – AS/NZS 1891.3 cl 1.6 acknowledges an EN360 listing. Fall Arrest devices complying with EN353-1, EN353-2 or EN360 are acceptable for use in Australia and New Zealand and feature a very high safety standard and worldwide proven technology.

Type Order no.	Connecting Device	Housing	Weight	Dimensions
H 12*	12.00 m Steel rope	Aluminium	5.9 kg	450 x 195 x 90
H 18*	18.00 m Steel rope	Aluminium	9.5 kg	550 x 240 x 100
H 24	24.00 m Steel rope	Aluminium	13.5 kg	630 x 275 x 110
H 33*	33.00 m Steel rope	Aluminium	18.0 kg	640 x 320 x 120
H 42	42.00 m Steel rope	Aluminium	27.2 kg	750 x 370 x 120
H 7*	7.00 m Web	Plastic	2.9 kg	370 x 195 x 100
HPS 5	5.00 m Steel rope	Plastic	2.9 kg	430 x 150 x 91
HPS 6*	6.00 m Steel rope	Plastic	3.0 kg	430 x 150 x 91
HPS 12*	12.00 m Steel rope	Plastic	4.6 kg	470 x 190 x 114
HPS 18	18.00 m Steel rope	Plastic	6.7 kg	540 x 225 x 96

* Stocked items.

