





# LINDSELL CRANE Model "JRT" 700kg or 1000kg Lift Capacity RADIO REMOTE — COMPLETE HYDRAULIC CONTROL

- First to design bolt on easy fit cranes.
  - Compact and cost effective, Australian made.
    - · Easy on-site mantainance

#### **FULL HYDRAULIC SLEW**

Hydraulic Lift and Extension Available as Standard or 1 Tonne Lift Capacity 700kg or 1000kg @ 0.9 metres 400kg or 500kg @ 1.6 metres 250kg or 300kg@ 2.5 metres Optional -3 Stage Manual







- Full pictorial and schematic installation instructions.
  - With over 18 years experience in all industry sectors
    - Straight forward operation

### DO - IT - YOURSELF INSTALLATION

12 or 24 Volt DC Hydraulic- Electric Pack 36" Hydraulic Extension Boom 6 Button Radio Remote Control Support Leg Control Flow for Lift and Lower Hoses and Fittings Reusable Bolts Onto the Floor or Deck. Low Folding Boom. All Electrics Pre-wired

### **2 YEAR WARRANTY**

**Compact Resting Position Built to ASA Crane** Standards 1418 Compact Design Easy On-site Maintenance **Easy Operating Manuals** 

### **OUR CLIENTS**

**Petrochemical Companies** Plastic Welding Kennard's Hire **Water Authorities** Xstrata Mines **Billiton Mines** 



### **IDEAL FOR**

Mines Councils **Earthmoving Contractors Water Authorities Primary Producers** 



# FREECALL 1800 815 360

### www.lindsellhoists.com.au

Locked Bag 1 Point Leo, Victoria 3916 Email: lindsellhoists@bigpond.com







### LINDSELL CRANE Model "JRT" 700kg or 1000kg Lift Capacity **RADIO REMOTE** COMPLETE HYDRAULIC CONTROL

## **SPECIFICATIONS**

### PEDESTAL OR LINDSELL TRIANGULAR BASE

Base Height ......850 mm

Base Width 650 mm .....Triangular or Pedestal to suit

Boom Length ......Closed: 1650mm Full Extension: 2500mm

Reach and Lift weight

STANDARD .......700kg @ 0.9 m; 400kg @ 1.6m; 250kg @ 2.5m

ONE TONNE.......1000kg @ 0.9 m 500kg @ 1.6 m 300 kg @ 2.5m

Above Tray ......2800mm from mounting base

Below Tray ......250 mm

### STANDARD FEATURES

- 36" Hydraulic Extension
- 6 Button Radio Remote Control
- Support Leg Adjustable
- Control Flow for Lift and Lower
- Hoses and Fittings Detachable
- Base Suits any Flat Deck

- Hydraulic Controlled Slew
- 5 metres of Flexible Lead
- Manual Over- Ride Valves
- Safety Hose Burst Valve
- Hooks Included

### **OPTIONS FOR YOUR JRT**

- Electric Cable Winch 400kg
- Remote Control Radio Frequency Control
- Third Stage Manual Extension
- 6 Button Cable Control

- Spool Valve Control
- Any Combination PTO Adaptable
- Hydraulic Support Leg (s)

## FREECALL 1800 815 360

### www.lindsellhoists.com.au

Locked Bag 1 Point Leo, Victoria 3916

Email: lindsellhoists@bigpond.com



We offer custom design to fit your vehicle

# Lifting solutions for your workplace













