

## LINDSELL CRANE Model "JRT" 700kg or 1000kg Lift Capacity RADIO REMOTE — COMPLETE HYDRAULIC CONTROL

- First to design bolt on easy fit cranes.
- Compact and cost effective, Australian made.
- Easy on-site maintenance
- Full pictorial and schematic installation instructions.
- With over 18 years experience in all industry sectors
- Straight forward operation

### FULL HYDRAULIC SLEW

Hydraulic Lift and Extension  
Available as Standard or 1 Tonne Lift Capacity  
700kg or 1000kg @ 0.9 metres  
400kg or 500kg @ 1.6 metres  
250kg or 300kg @ 2.5 metres  
Optional -3 Stage Manual

### DO - IT - YOURSELF INSTALLATION

12 or 24 Volt DC Hydraulic- Electric Pack  
36" Hydraulic Extension Boom  
6 Button Radio Remote Control  
Support Leg  
Control Flow for Lift and Lower  
Hoses and Fittings Reusable  
Bolts Onto the Floor or Deck.  
Low Folding Boom.  
All Electrics Pre-wired

### 2 YEAR WARRANTY

Compact Resting Position  
Built to ASA Crane  
Standards 1418  
Compact Design  
Easy On-site Maintenance  
Easy Operating Manuals



### OUR CLIENTS

Petrochemical Companies  
Plastic Welding  
Kennard's Hire  
Water Authorities  
Xstrata Mines  
Billiton Mines

### IDEAL FOR

Mines  
Councils  
Earthmoving Contractors  
Water Authorities  
Primary Producers

**FREECALL 1800 815 360**

[www.lindsellhoists.com.au](http://www.lindsellhoists.com.au)

Locked Bag 1  
Point Leo, Victoria 3916

Email : [lindsellhoists@bigpond.com](mailto:lindsellhoists@bigpond.com)

## LINSELL CRANE Model "JRT" 700kg or 1000kg Lift Capacity RADIO REMOTE — COMPLETE HYDRAULIC CONTROL

### SPECIFICATIONS

#### PEDESTAL OR LINSELL TRIANGULAR BASE

Base Height .....850 mm

Base Width 650 mm .....Triangular or Pedestal to suit

Boom Length .....Closed: 1650mm Full Extension: 2500mm

Reach and Lift weight

STANDARD .....700kg @ 0.9 m; 400kg @ 1.6m; 250kg @ 2.5m

ONE TONNE.....1000kg @ 0.9 m 500kg @ 1.6 m 300 kg @ 2.5m

Above Tray .....2800mm from mounting base

Below Tray .....250 mm

#### STANDARD FEATURES

- 36" Hydraulic Extension
- 6 Button Radio Remote Control
- Support Leg Adjustable
- Control Flow for Lift and Lower
- Hoses and Fittings Detachable
- Base Suits any Flat Deck
- Hydraulic Controlled Slew
- 5 metres of Flexible Lead
- Manual Over- Ride Valves
- Safety Hose Burst Valve
- Hooks Included

#### OPTIONS FOR YOUR JRT

- Electric Cable Winch 400kg
- Remote Control Radio Frequency Control
- Third Stage Manual Extension
- 6 Button Cable Control
- Spool Valve Control
- Any Combination – PTO Adaptable
- Hydraulic Support Leg (s)

**FREECALL 1800 815 360**

[www.lindsellhoists.com.au](http://www.lindsellhoists.com.au)

Locked Bag 1

Point Leo, Victoria 3916

Email : [lindsellhoists@bigpond.com](mailto:lindsellhoists@bigpond.com)



**We offer custom design to fit your vehicle**

**Lifting solutions for your workplace**



